

TOUGHEST FIREFIGHTER ALIVE

➤ Facilities & Facts

Date: 19th – 21st May
Venue: Aalborg Havnefront
Address: Slotspladsen, 9000 Aalborg

➤ Lead Entity:

Nordjyllands Beredskab

➤ Pre-competition meeting/Briefing

On the competition day, each participant must appear for the final entry and verify the details of the game rules and routes

➤ Equipment and Requirements:

This event is open exclusively to FIREFIGHTERS.

Mandatory dress code for competitors.

The competitors bring their own fire service clothing!

- Fire service boots
- Fire service jacket
- Fire service trousers
- Fire service helmet
- Fire Service Gloves must be carried on person ***
Wearing is at the Competitors Discretion***

The competitor shall at all times wear protective fire service clothing as per above. When the competitors register on the day of the competition, the clothing is being verified by a referee.



**NORDJYLLANDS
BEREDSKAB**

To ne noted:

- The competitor shall at all times wear protective fire service clothing as per above.
- The organizer is not responsible for any physical accidents that occur during the competition. Participant must take responsibility for any accidents
- During the game, players should not engage in activities that may interfere with the competition of other players.
- Participants which have been drinking alcohol ore is judged to have not complied with these rules in accordance with the organizer, he/she shall be disqualified.
- If breaks or starting times are being delayed because of the organizers, the delays will be noted and transferred 1:1.

➤ Rules and regulations


The competition in general

This event consists of 4 stages. Each participant is given only one opportunity at each stage, and time-penalties will be applied if they violate the rules set by the organizer at each stage; if they pass all 4 stages, they are eligible for a medal award.

All stages shall to be completed within 5 minutes and for female competitors within 6 minutes. Exceeding the maximum time shall result in the stage being aborted by the referee. The competitor will be able to continue in the competition however for this stage 5 minutes plus 4 minutes plus and any penalty incurred during the stage shall be noted down.

Should a competitor abort a stage he or she will also be able to continue in the competition however, again, the maximum time allowed plus 4 minutes penalty plus any penalties incurred shall be noted down.

Should one of the stages not be completed fully (for example if the weight is not pulled up at stage 3) a penalty of 4 minutes shall be imposed along with any penalties incurred.



**NORDJYLLANDS
BEREDSKAB**

Competitors will start a stage precisely 10 minutes after starting the previous stage. It is within the competitors' responsibility to observe and adhere to his or her starting times.

For example: Competitor X starts at 12:00 at stage 1. At 12:10 the same competitor will have to start at stage 2. In the 10 minutes between 12:00 and 12:10 the competitor is required to complete stage 1 in the maximum available time i.e. 5 or 6 minutes – the rest of the time is to be considered recovery time.

The competitor with the fastest overall time wins.

The competition – stages:

❖ Stage 1

Setup of stage 1:

The stage shall be completed wearing a Breathing Apparatus Back Pack including Air Cylinder (No Mask)

Hose pulling:

Two B-type hoses will be placed to the left and right of the competitor per track. The hoses will be placed in loops and can only be pulled to full extension. At no time shall the competitor carry the hose.

Every hose consists of five coupled B-type hoses of 15-meter length with a B-type branch attached at the end. The loops will consist of a single hose length.


At the start of each track a fire appliance will be placed to couple the hose onto.

Hose rolling:

Each track will have two B-type hoses rolled out, at a distance of 50 cm (measured from the inside of the hose) from one another.

At the end of the track two hose boxes will be positioned to place the rolled-up hoses.

Procedure of stage 1:



**NORDJYLLANDS
BEREDSKAB**

Hose pulling:

1. The hoses will be coupled to the fire pump.
2. The hoses will be pulled along 75 meters –two at a time.
3. At the end of the 75 meters the tip of the branch will have to touch the finishing line.

The competitor shall not place a “carrying loop” inside the hoses before the start.

Hose rolling:

1. The hoses are to be rolled one at a time
2. Completely rolled hoses must be placed entirely inside the hose box.

Faults	Penalty
Not arriving at the Start in time	Disqualified
Faulty start	5 seconds
Coupling unsoundly attached to the fire pump	5 seconds
Hoses being carried (only pulling is allowed)	30 seconds
Hoses not pulled up to the marking (The Branch must be completely over the line) For every <u>500mm</u> Short of the line	10 seconds
Hoses rolled simultaneously / double rolled	90 seconds
Hoses / coupling not properly inside the box	3 seconds / hose
Breathing Apparatus dropped on the ground / not carefully placed	10 seconds penalty
Stage not completed in its entirety	Automatically 8 (9) minutes total stage time logged

Total time:

Men: max. 5 Min. (Not completing the stage within the time limit + 4 Min. penalty = 9 Min.) Woman: max. 6 Min. (Not completing the stage within the time limit + 4 Min. penalty = 10 Min.)

To be noted in the competitors time card:

Stage time + penalty = total time

Example: 02:10 min + 3 sec penalty = 02:13 min

Example: 05:00 min + 3 sec penalty = 09:03 min, because the maximum time of 05:00 min has been exceeded (example of Mens times)



**NORDJYLLANDS
BEREDSKAB**

❖ **Stage 2**

Start precisely 10 minutes after starting time!

The stage shall be commenced wearing a Breathing Apparatus Back Pack including Air Cylinder (No Mask)

Setup of stage 2:


Stage 2 consists of the modules Keiser Force Machine, approximate 80 kg dummy (ore comparable weight) a tunnel to crawl through (approximate 8 meters long and a height should not allow upright walking) and a climbing wall (3 meters tall). The modules are to be set up in such a way that the stage can be completed in a single run.

Procedure of stage 2:

1. Keiser Force Machine:
The weight of the Keiser Force Machine is to be forced onto the marking with a hammer. Afterwards, the Hammer is to be placed on a platform in the immediate vicinity of the Keiser Force Machine.
2. The dummy is to be pulled across a distance of 70 metres
3. One (1) containers of foam concentrate or a comparable weight of 20 Kg each are to be transported through the crawling tunnel and then placed on a platform. The Breathing Apparatus Back Pack and Cylinder is to be removed and placed on a platform.
4. The climbing wall (3 meters High) is to be scaled.

Fault	Penalty
Starting stage 2 later than 10 minutes after starting stage 1	The time delay will be added 1:1 onto the total time
Faulty start	5 seconds
Stepping on the running surface of the Keiser Force Machine	10 Seconds
Hitting the hammer repeatedly (2x plus) off the KFM	10 seconds

Keiser Force Machine: per started 2,5 cm short of the end	3 seconds each
Hammer not properly placed down	3 seconds
Containers not placed within the markings	3 seconds
Dummy not pulled to the end	automatically 8 (9) minutes total time
Straying off the track when pulling the dummy	5 seconds
Use of disallowed aids (for example, carrying loops)	disqualified
Climbing wall not overcome	automatically 8 (9) minutes total time
Breathing Apparatus dropped on the ground / not carefully placed	10 seconds penalty
Stage not completed in its entirety	Automatically 8 (9) minutes total stage time logged



NORDJYLLANDS

Total time:

Men: max. 5 Min. (Not completing the stage within the time limit + 4 Min. penalty = 9 Min.)
 Woman: max. 6 Min. (Not completing the stage within the time limit + 4 Min. penalty = 10 Min.)

To be noted in the competitors time card:

Stage time + penalty = total time

Example: 02:10 min + 3 sec penalty = 02:13 min

Example: 05:00 min + 3 sec penalty = 09:03 min, because the maximum time of 04:00 min has been exceeded


❖ **Stage 3**

The stage shall be completed wearing a Breathing Apparatus Back Pack including Air Cylinder (No Mask)

Start precisely 20 minutes after the starting time!

Setup of stage 3:

This stage will contain a stairwell that goes up to a second floor of the usual height.



Two foam concentrate containers of 15 Kg are to be placed immediately in front of the stairs.

A hose packet (consisting of two B-type hoses – 25 kg) is to be placed right outside the stairwell so that it can be pulled up with a rope.

A ladder (approximate 6 meters) is to be placed.

Procedure of stage 3:

1. The ladder has to be placed within the markings and is to be leaned against the latching on point
2. Two foam concentrate canisters are to be carried up to the second floor and are to be placed within their markings
3. Hose packet (25 kg) is to be pulled up, and the tip of the hose nozzle is to be put on.
4. The two foam canisters are to be carried downstairs and placed within their markings.
5. Branch is to be placed in monitor.

Fault	Penalty
Starting stage 3 later than 20 minutes after starting stage 1	The time delay will be added 1:1 onto the total time
Faulty start	5 seconds
Ladder not placed within the markings	3 seconds
Canister not placed within the Markings	3 seconds

Hose not pulled to the top	Automatically 5 (9) minutes total stage time logged
Using the railing as foothold / Foot through the railing	10 seconds
Branch not connected correctly	3 seconds
Breathing Apparatus dropped on the ground / not carefully placed	10 seconds penalty
Stage not completed in its entirety	Automatically 8 (9) minutes total stage time logged

Total time:

Men: max. 5 Min. (Not completing the stage within the time limit + 4 Min. penalty = 9 Min.) Woman: max. 6 Min. (Not completing the stage within the time limit + 4 Min. penalty = 10 Min.)

To be noted in the competitors time card:

Stage time + penalty = total time

Example: 02:10 min + 3 sec penalty = 02:13 min

Example: 05:00 min + 3 sec penalty = 09:03 min, because the maximum time of 04:00 min has been exceeded

❖ Stage 4

The stage shall be completed wearing a Breathing Apparatus Back Pack including Air Cylinder (No Mask), a b-type hose and a hosenozzel.

Start precisely 30 minutes after the starting time!

Procedure of stage 4:

For the stair run the competitor will have to run up 11 floors (usual ceiling height) via a stairwell. While running the competitors must lift a b-type hose on the shoulder and the hosenozzel in a hand.

No Coach or assistant is allowed to accompany the competitor during the Stair run.

Fault	Penalty
Starting stage 3 later than 30 minutes after starting stage 1	The time delay will be added onto the total time
Faulty start	5 seconds
Intentionally obstructing another competitor	Disqualified
Breathing Apparatus dropped on the ground / not carefully placed	10 seconds penalty
Stage not completed in its entirety	Automatically 8 (9) minutes total stage time logged

Total time:


Men: max. 5 Min. (Not completing the stage within the time limit + 4 Min. penalty = 9 Min.) Woman: max. 6 Min. (Not completing the stage within the time limit + 4 Min. penalty = 10 Min.)

To be noted in the competitors time card:

Stage time + penalty = total time

Example: 02:10 min + 3 sec penalty = 02:13 min

Example: 05:00 min + 3 sec penalty = 09:03 min, because the maximum time of 05:00 min has been exceeded



NORDJYLLANDS

❖ Reasons for Disqualification:

- Failing to appear at the start on time
- Non-regulatory outfit
- Abandoning the complete contest
- Omission of an entire stage
- Unsportsmanlike behaviour
- Obstructing another competitor
- Use of disallowed aids (for example: carrying slings)
- Loss of equipment during a run

Exception: Independent pick up of lost equipment

- Destruction of competition equipment
- Disregarding the instructions of the referee

➤ Age Categories

Men		Women	
Division	Age (years)	Division	Age (years)
Open	18 - 29	Open	18 - 29
Senior A	30 - 34	Senior A	30 - 34
Senior B	35 - 39	Senior B	35 - 39
Master A	40 - 44	Master A	40 - 44
Master B	45 - 49	Master B	45 - 49
Grand Master A	50 - 54	Grand Master A	50 - 54
Grand Master B	55 - 59	Grand Master B	55 - 59
Grand Master C	60 & over	Grand Master C	60 & over